Welcome to Viruses in May

Dr Kerry Chant PSM

Chief Health Officer and Deputy Secretary

Population and Public Health NSW Ministry of Health

May 2017



Emerging viral threats



Preparedness

- Preparedness remains a high priority for NSW Health
- We continue to review and update our plans as new evidence and technologies emerge to help understand and manage the threat of emerging viruses
- With new diagnostic technologies to identify novel viruses comes the need to rapidly distinguish pathogenic from harmless
- Increased understanding of the process of emergence and spread of viruses provides more potential for predicting risk
- New risk assessment approaches needed to identify those viruses most likely to cause human disease

Responses for emerging viruses

- Emergence of new pathogenic viruses is inevitable if not fully predictable
- Effective responses rely heavily on virology expertise to detect and characterise novel viruses and guide action
- Effective response also require:
 - effective surveillance systems
 - excellent epidemiological and laboratory investigations
 - surge capacity for labs, health care and public health
 - effective and regular communication systems
 - flexible response and recovery plans.


Some response examples...



Ebola virus disease

Monitoring of the West African outbreak from early 2014

Timeline of Ebola Epidemic of 2013-2015



Ebola virus disease


- Rapid review and update of EVD response plans
 - state and national
 - technical advisory groups
- Enhanced surveillance of returned travellers
 - Borders and EDs
 - Public health monitoring
- Review and strengthening of VHF patient management preparedness and diagnostic capacity
 - Westmead Hospital isolation rooms
 - ICPMR PC-4 VHF testing capacity

Ebola virus disease

Broader health system preparedness

- Series of updates and technical discussions on EVD preparedness with key clinical groups and stakeholders:
 - ID/Clinical Micro, ICP, ED professionals, Labs
 - HSFACs, Ambulance
- Guidance on and targeted procurement of appropriate PPE
- New ICP training resources for high-level VHF PPE training and infection control
- Statewide consensus on PPE training, VHF exercises
- Resources for ED and GP waiting rooms





http://www.cec.health.nsw.gov.au/patient-safety-programs/assurance-governance/healthcare-associated-infections/videos

Enterovirus 71 – March 2013

- Outbreak in young children of illness associated with severe neurological symptoms during a period of increased HFMD activity
- Notification by astute clinicians Northern Beaches
- Rapid development of discriminatory testing from other enteroviruses at SEALS





Image: Science Direct

Weekly number of cases aged less than 10 years, admitted to the Sydney Children's Hospital Network with clinical features of meningitis, encephalitis, meningoencephalitis, acute flaccid paralysis or transverse myelitis and suspected or confirmed enterovirus infection 1 January 2013 to 2 June 2013




Enterovirus 71

Response measures

- Clinical and public health collaboration for alerts for heightened surveillance and clinical management guidance
- Validation of ED near real-time surveillance (PHREDSS) as a valuable on-going surveillance tool


Total weekly counts of ED admissions for HFMD, for 2013 up to 2 June (black line), compared with 5 previous years (coloured lines), children aged <10 years

Total 1-week counts



Parechovirus (HPeV)

- Children's Hospital Westmead alert November 2013.
 Infants < 1 year with fever, rash, irritability.
- Supported by a refined PHREDSS ED report:
 Fever/unspecified infection that were admitted, children aged under 1 year (2013 black line)



- Clinical testing identified HPeV genotype 3
- Enhanced case surveillance: SCH, CHW and JHH.
 183 infant cases confirmed up to February 2014

Zoonoses





Collaboration on zoonoses

- Close collaboration with DPI and other animal health agencies remains vital in the detection and assessment of emerging animal viruses that may pose a threat to humans
- Zoonotic diseases need to be a key concern of:
 - human health agencies (including virologists)
 - animal health authorities
 - agriculture producers
 - wildlife resource managers
 and all should be working collaboratively.

Thank you

